







Contents

4	Introduction	32-33	Aluminium Door Hardware
		32	Schlage Stella® Sliding Door Lock
6-9	Entrance Hardware	33	Schlage Friction Hinges
6	Schlage Pull Handles: Tubular	33	Schlage Restrictor Stays
7	Schlage Pull Handles: Solid		
8	Schlage ME Euro Mortice Locks	36-38	General Hardware
9	Schlage Euro Profile Cylinders	36	Schlage Door Stops
9	Schlage ME Euro Profile Cylinders	36	Legge Door Stops
		37	Schlage Hinges
12-22	Levers, Knobs and Deadbolts	37	Legge Architectural Hinges
12	Schlage Medio Series	38	Sliding Cavity Door Sets
13	Schlage Grande Series	38	Schlage General Hardware
14	Schlage 7000 Series		
15	Schlage 9000 Series	40	Door Controls
16	Schlage Verta™ Series	40	Briton 200 Series Door Closer
18	Schlage Regent Series Entrance Sets	40	Briton 1120 Series Door Closer
18	Schlage Regent Series Deadbolts	40	Briton 1130 Series Door Closer
19	Schlage Regent Series Knobs & Levers		
20	Schlage F Series Entrance Sets	42	Handing and General Information
21	Schlage F Series Knobs & Levers	43	Reference
22	Schlage B Series Deadbolts	43	Finish Glossary
26-31	Keyless Entrance Hardware		
26	Schlage Sense™ Smart Deadbolt		
28	Schlage FE & BE Series		
29	Schlage & Briton Push Button Locks		

Introduction

Your home reflects your individual style – and so too should your door hardware. From the flowing curves of a statement entrance handle to the bold contemporary lines of a stainless steel lever, Schlage products come in a range of classic and contemporary collections so you can expertly tie together your perfect space.

For more than 95 years, Schlage has offered the most durable and stylish door hardware in a range of unique style combinations. Bridging the gap between security and design, Schlage makes it easier for you to match strength with your individual style. As that style continues to evolve, you can be confident that Schlage will always have door hardware designs to not only complete your room, but show off your personality.

So welcome home. Welcome thousands of possibilities. Welcome style.

Total Solutions

Schlage is part of the Allegion family, providing comprehensive solutions for residential and commercial security requirements.

Independently or as an integrated total solution, we can tailor an option to suit your individual security and safety needs for home and business.

aptiQ – Access Control Readers & Credentials

Briton – Digital Locks, Door Closers, Emergency Exit Devices, Fire Door Controls, Floor Springs, Pivot Sets, Transom Closers

Cisa - Hotel Locking Systems, Safes

FSH – Electric Strikes, Electromagnetic Locks and Hold Open Devices, Electric Drop Bolts, Electronic Cabinet Locks

Falcon – Auto Swing Door Operators, Exit Devices

Glynn-Johnson – Door Coordinators

Ives – Door Controls, General Hardware, Pivot Sets, Overhead Stops & Holders

LCN – Auto Equalisers, Door Closers, Fire Door Controls, Benchmark Auto Swing Door **Legge –** Door Furniture, Locks and Latches, Entrance Handles, General Hardware, Hinges

Schlage Electronic Systems – Access Control Biometric Readers, Electromagnetic Locks, Offline & Online Electric Locks

Schlage – Door Furniture, Entrance Handles, General Hardware, Keying Systems, Locks and Latches

Von Duprin – Emergency Exit Hardware, Electronic Door Control Products, Electric Strikes, Exit Devices

Zero - Automatic Door Bottoms, Door and Window Seals, Gasketing, Sound Control Solutions, Fire and Smoke Protection, Photoluminescent Systems, Thresholds, Weatherstripping



Entrance hardware



6 Entrance Pull Handle



Technical Specifications	Finish	Warranty	Accessories
-304 Decorative grade	SSS	10 year finish	Locks/Bolts
Stainless Steel			- ME Series Lock Sets
- 316 Marine grade			- Legge 990MF Mortice Deadlock
Stainless Steel (Verta only)			Cylinders:
- Back to back. Sold in pairs.			- ME C4 Euro
Door Type:			- Schlage 5 or 6 Pin Euro
- Timber			-990 C4 Oval
- Metal			Escutcheons
-Glass			- Oval Cylinder (round or square)
Door Thickness			- Euro Cylinder (round or square)
-35mm - 50mm			- Turn (round or square)
-Glass 8mm - 12mm			







ME60 Roller Deadlock

Technical Specifications	Finish	Warranty	Accessories	Compatible Furniture
Door Type	SSS	10 year	- Escutcheons	- Medio Series
- Aluminium		mechanical	Cylinders (ordered separately)	-7000 Series
-Timber			-ME C4 5 or 6 Pin Euro	-9000 Series
Door Thickness			- Schlage C 5 or 6 Pin Euro	- Pull handle range
- 32 - 42mm			Rebate kits	- Verta™
(When using standard 65mm			-MERKSS Rebate kit for ME60	- Grade Series
cylinder with a 10mm escutcheon)			- MERKRSS Rebate kit for ME60RL	
Extended cylinders available				

Lock Specifications		
Lock	Follower to turn centre	Backset
ME60 Entrance Lock	85mm	60mm
ME60 Roller Deadlock		60mm



Cylinder and Turn



Double Cylinder

Technical Specifications	Functions	Finish	Warranty	Compatible Locks
- Universal applications	Cylinder and turn (5 Pin	SCP	10 year	- ME Series Euro Mortice Lock
Keyway	and 6 Pin options)		mechanical	
- Schlage C Keyway	Double cylinder (5 Pin and			
Keying Options	6 Pin options)			
- KA Keyed Alike	Half turn			
- KD Keyed to Differ	Half cylinder			
- RCK Residential Construction Keyed				

ME EURO PROFILE CYLINDERS



Cylinder and Turn



Double Cylinder

Technical Specifications	Functions	Finish	Warranty	Compatible Locks
- Universal applications	Cylinder and turn (5 Pin	SCP	10 year	- ME Series Euro Mortice Lock
Keyway	and 6 Pin options)		mechanical	
-C4 Keyway	Double cylinder (5 Pin and			
Keying Options	6 Pin options)			
- KA Keyed Alike	Half turn			
- KD Keyed to Differ	Half cylinder			
	Emergency release turn			
	(Privacy)			



Levers, knobs and deadbolts

MEDIO SERIES







Alba Centra Diva





Mila Stella (shown with privacy)

Technical Specifications	Functions	Finish	Warranty	Accessories
Rose Specifications	Latch furniture	SCP	10 year	Locks/Latches
- Ø55mm x D12mm	Passage latch		mechanical	- Schlage 60mm Latchbolt
- Concealed Fixing	Privacy latch		and finish	-ME Mortice Lock (60mm)
Door Type	Dummy trim			- Legge 990MF Mortice Lock
- Timber				Cylinders
- Metal				- ME C4 5 or 6 Pin Euro
Backset				- Schlage 5 or 6 Pin Euro
-60mm				- Legge 990 Oval Cylinder
- Suitable to use latch furniture with				Escutcheons
mortice locks and escutcheons				-L30S round
Door Thickness				-L30SS square
- Furniture 32mm - 50mm				
- Passage 32mm - 50mm				
- Privacy 32mm - 42mm				













Diva

Mila



Stella

Technical Specifications	Functions	Finish	Warranty	Accessories
Rose Specifications	Latch furniture	SCP	10 year	Locks/Latches
-Ø65mm x D12mm	Passage latch		mechanical	- Schlage 60mm Latchbolt
- Concealed fixing	Privacy latch		and finish	-ME Mortice Lock (60mm)
Door Type	Dummy trim			- Legge 990MF Mortice Lock
- Timber				Cylinders
- Metal				-ME C4 5 or 6 Pin Euro
Backset				- Schlage 5 or 6 Pin Euro
-60mm				Escutcheons
- Suitable to use latch furniture with				-L30S round
mortice locks and escutcheons				-L30SS square
Door Thickness				
- Furniture 32mm - 50mm				
- Passage 32mm - 50mm				
- Privacy 32mm - 42mm				







Angelo Dali







Vargas Fattori Katz











Vinci Turn Escutcheon

Emergency Release Escutcheon

Cylinder Escutcheon

Oval Escutcheon

Technical Specifications	Functions	Finish	Warranty	Accessories
Solid stainless steel levers	Latch furniture	SSS	10 year	Locks/Latches
Rose Specifications	Passage latch		mechanical and	- Schlage 60mm Latchbolt
-Ø55mm x D12mm	Privacy latch		finish	- ME Mortice Lock (60mm)
- Concealed fixing	Dummy trim			- Legge 990MF Mortice Lock
Door Type				Cylinders
-Timber				- ME C4 5 or 6 Pin Euro
- Metal				- Schlage C5 or 6 Pin Euro
Backset				- Legge 990 Oval Cylinder
- 60mm on passage and privacy				Escutcheons
- Suitable to use latch furniture with				-7008 Oval Cylinder
mortice locks and escutcheons				-7012 Euro Cylinder
Door Thickness				-7007/7013 Turn (non-indicating/indicating)
- Furniture 35mm - 50mm				-7009/7014 Emergency Release (non-
- Passage 35mm - 50mm				indicating/indicating)
- Privacy 32mm - 42mm				-7010/7015 Large Turn (non-indicating/
				indicating)
				-7020 Emergency Turn Set
				-7054 Indicating Turn Bar LH/RH





Albo Angelo



Katz



Turn Escutcheon



Emergency Release Escutcheon



Euro Cylinder Escutcheon



Oval Cylinder Escutcheon

Technical Specifications	Functions	Finish	Warranty	Accessories
Solid stainless steel levers	Latch furniture	SSS	10 year	Locks/Latches
Rose Specifications	Passage latch		mechanical and	- Schlage 60mm Latchbolt
- 57mm x D12mm	Privacy latch		finish	-ME Mortice Lock (60mm)
- Concealed fixing	Dummy trim			- Legge 990MF Mortice Lock
Door Type				Cylinders
- Timber				-ME C4 5 or 6 Pin Euro
- Metal				- Schlage C5 or 6 Pin Euro
Backset				- Legge 990 Oval Cylinder
- 60mm on passage and privacy				Escutcheons
- Suitable to use latch furniture with				- 9008 Oval Cylinder
mortice locks and escutcheons				- 9012 Euro Cylinder
Door Thickness				-9007/9013 Turn (non-indicating/indicating)
- Furniture 35mm - 50mm				-9009/9014 Emergency Release (non-
- Passage 35mm - 50mm				indicating/indicating)
- Privacy 32mm - 42mm				- 9015 Large Turn (non-indicating/indicating)
				-9020 Emergency Turn Set
				- 9054 Indicating Turn Bar LH/RH



Designer style

Verta[™] reinvents the classic with contemporary design. Stemming from modern trends, Verta[™] blends beautiful form with designer functionality.

Verta's[™] design features set a new standard for innovative style. Architectural lines create surfaces that reflect light in every direction; tactile surfaces surprise and delight; lineal planes soften to curved edges.

Each element of Verta has been sourced, crafted and finished by experts. Constructed from the highest-quality, marine-grade 316 stainless steel, Verta is manufactured and finished with watch-maker precision. Tested to over 200,000 cycles, Verta is an investment in style for now and the future.





Verta™ Lever

Technical Specifications	Functions	Finish	Warranty	Accessories
•			-	
- 316 Marine grade stainless steel	Latch furniture	SSS	25 year finish	Locks/latches
Rose Specifications	Passage latch		10 year mechanical	- Schlage 12000 Passage Latch
- 57mm x 57mm x D12mm	Privacy bolt			- ME Mortice Lock (60mm)
Door type	Dummy trim			- Schlage 12081 Tubular Bolt (privacy turn only)
- Timber				- Legge 990MF Mortice Lock
- Metal				Escutcheons
Backset				- Oval cylinder
- 60mm				- Euro cylinder
- Suitable to use latch furniture with				-Turn
mortice locks				- Emergency
Door thickness				
- 35mm-50mm				

Verta™ Entrance Pull Handle

Technical Specifications	Finish	Warranty	Accessories
- 316 Marine grade stainless steel	SSS	25 year finish	Locks/Bolts
- 800mm length		10 year mechanical	- ME Series Roller Deadbolt and Cylinder
Door type			(available as a complete lockset)
- Timber			- Legge 990MF Mortice Deadlock
- Metal			Cylinders
Door thickness			- ME C4 Euro
- 35mm-50mm			- Schlage 5 or 6 Pin Euro
Fixing			-990 C4 Oval
- Fixing centres 762mm			
- Back to back or single. Sold in pairs			







Boston Entrance Set with Denver Knob* (available in SCP)

REGENT SERIES DEADBOLTS



Regent Boston



Regent Denver

Technical Specifications	Functions	Finishes	Warranty	Accessories
- Can be keyed alike to other Schlage locksets	Double cylinder	Regent Denver	25 year mechanical	Furniture
Door Type	(key/key)	CP, PB, SNP, SSS	10 year finish	- Regent Series
- Timber	Single cylinder	Regent Boston		- Pull handle range
- Metal	(key/turn)	SCP		
Backset				
- 60mm or 70mm, 127mm available				
Door Thickness				
-35mm - 50mm				



Denver (available in CP, PB and SSS)



Jupiter (available in SCP and SNP)



Rubens (available in SCP and SNP)



Leonardo (available in SCP and SNP)



Boston (available in SCP)



Orlando (available in SCP)

Technical Specifications	Functions	Warranty	Accessories
- Triple option square, radius and drive in latch	Entrance lock	25 year mechanical	- 127mm latch
Rose Specifications	Passage latch	10 year finish	- Regent key blanks
-Ø65mm x D26mm	Privacy latch		- Rebate kit
-60mm x 60mm x 26mm (square)	Dummy trim		-Strike plate
- Concealed fixing			
Door Type			
-Timber			
- Metal			
Backset			
- 60mm or 70mm, 127mm available			
Door Thickness			
-35mm - 50mm			
* Gripset knob interchangeable with any Regent Series			
dummy trim lever. Purchase separately.			



Addison Entrance Set with Accent Lever (available in SNP)



Camelot Entrance Set with Georgian Knob (available in AB)



Century Entrance Set with Orbit or Plymouth Knobs or Flair Lever (available in SCP)



Plymouth Entrance Set with Accent Lever (available in SNP and PB) or Plymouth Knob (available in PB and SCP)



Georgian (available in AB)



Orbit (available in SCP)



Plymouth (available in PB, SCP and SNP)



Accent (available in SNP)



Elan (available in SCP)



Flair (available in PB and SCP)



Latitude (available in SCP)



Manhattan (available in SCP)



Merano (available in SCP and SNP)

Technical Specifications	Functions	Warranty	Accessories
Rose Specifications:	Combination set (Plymouth	Lifetime mechanical	-127mm latch
-Ø65mm x D12mm	knob with B62N Deadbolt)	Lifetime finish on SNP and	- Rebate kit
Door Type:	Entrance lock	PB, 10 year finish on AB	
-Timber	Passage latch	and SCP	
- Metal	Privacy latch		
Backset:	Dummy trim		
- 60mm or 70mm, 127mm available			
Door Thickness:			
-35mm - 44mm knob			
-36mm - 44mm lever			
- 41mm - 54mm entrance set			





B Series Deadbolt

(SCP)

Technical Specifications	Functions	Finishes	Warranty	Accessories
- Increased bolt size and bolt engagement offers	Double cylinder	AB, SNP, SCP, PB	Lifetime mechanical	- 127mm bolt
maximum kick-in resistance	(key/key)		Lifetime finish on SNP	- Rebate kit
- Anti-pick shield	Single cylinder		and PB	
- SNAP & STAY™ feature for hands-free installation	(key/turn)		10 year finish on AB	
- Larger thumb turn for easier grip			and SCP	
- Contoured edges for added style				
- Can be keyed alike to other Schlage locksets				
Door Type				
- Timber				
- Metal				
Backset				
- 60mm or 70mm, 127mm available				
Door Thickness				
-35mm - 44mm				
(extension kit available)				










Keyless entrance hardware



A smarter way in

Compatible with Apple
Homekit™ Technology, allows
you to unlock your door by simply
asking Siri on your iPhone®, iPad®
or iPod touch®. That HomeKit™
compatibility also puts you in
control of the rest of your home,
giving you the power to set
scenes for things like your lights,
doors, and thermostats. Which
means the Schlage Sense™
deadbolt doesn't just make your
home smarter – it makes your
whole life easier.

Features and Benefits

- Works with iPhone®, iPad® and iPod touch® by using Bluetooth® Smart technology
- Built-in alarm technology senses potential door attacks
- Illuminated, fingerprint-resistant touchscreen works in the rain and when wearing gloves
- Easy to set up and program using the Schlage Sense™ app
- The Schlage Sense™ Smart Deadbolt comes with a limited lifetime finish and mechanical warranty, and a limited threeyear electronic warranty



Century in Matte Black







Technical Specifications	Functions	Finish	Warranty
- Grade 1 security rating	Codes	Black	Lifetime mechanical and finish
- Fingerprint resistant	- Up to 30 user codes	SNP	3 year electronic
- Works in the rain and with gloves			
- Works with iPhone®, iPod® and iPod touch®	Communications		Battery
- Built-in alarm	- Bluetooth® smart technology		AAx4 included
- Illuminated touch screen			Approximately one year battery life
- Easy installation and setup			
Door Type			
- Timber			
- Metal			
Backset			
- 60-70mm adjustable			
Door thickness			
- 35mm-44mm			





BE365 Plymouth
(Available in SCP)



FE575 Plymouth/Elan (Available in SCP)



FE595 Plymouth/Latitude (Available in SNP)



FE595 Plymouth/Elan (Available in SCP)

Technical Specifications	Functions	Warranty
- Tested to one million cycles	BE365 Keypad Entry Deadbolt	Lifetime mechanical and finish
- Vandal resistant clutching design	- Keyless access to home	1 year electronic
-19 code capacity; 10 000 user code	- Turn-lock feature allows user to lock and leave without key	
combinations	- Ideal for front, back and side entry doors where deadbolts	
- Mechanical override	are required	
- Emergency exit feature	FE575 Keypad Entry with Auto-Lock	
- Locks can be re-keyed to match	- Automatically re-locks five seconds after use	
existing locks	- Ideal for use on doors leading to basement stairways,	
- 9-volt alkaline battery included	storage and utility rooms	
Door Type	FE595 Keypad Entry with Flex-Lock	
-Timber	- Allows users to choose whether door remains locked (with	
- Metal	a code required for entry) or unlocked (no code required	
Backset	for entry) simply by rotating the inside thumb turn	
-60mm or 70mm	- Ideal for use on garage entry doors, home offices,	
Door Thickness	storage rooms	
- 35mm - 44mm		
Cylinder		
- Schlage C 5 Pin		





(Available in SCP)



Briton 9360

(Available in SCP)

Schlage Digital Mechanical Lock

Technical Specifications

- -14 digit keypad offers 8000 codes of 4 to 7 digits
- Suitable for light duty and internal use only
- -Optional hold-open function

Door Thickness

- 32mm - 50mm

Backset

-60mm

Door Type

- Timber
- Metal

Finish

-SCP

Warranty

-10 year mechanical and finish

Briton 9360 Electronic Push Button Lock

Technical Specifications

- Knob handle operation with tubular latch
- Connections for remote release and alarm interface
- Allows up to 80 User Codes (4, 5 or 6 digits)
- Allows up to 10 one-time user codes

Door Thickness

-35mm - 65mm

Backset

-60mm

Door Type

- Timber
- Metal

Finish

-SCP

Warranty

- -10 year mechanical and finish
- 2 year electronic

Also available

Briton 9365 Electronic Push Button Lock

(Narrow stile)

-Same functionality as the Briton 9360, adapted for use with internal lever

Backset

- 30mm



Aluminium door hardware

STANDARD







External Locking



Locking by Snib only



Dummy

SLIMLINE



Deadlocking



External Locking



Locking by Snib only



Dummy

Technical Specifications	Functions	Finish	Warranty	Accessories
Door Thickness	Deadlocking	Black	10 year mechanical	Cylinder
-30mm - 45mm	External locking		and finish	- Schlage 6 Pin C flute brass
	Locking by Snib only			- C4 Pin cylinder available as an
	Dummy			option

Schlage Stella® Design	n Features and Benefits
TwinSecure®	Adds security through twin activating jaws / provides locking by snib or key / red-flags when the door is unlocked
SlamStop®	Protects locking jaws from accidental damage / offers childproofing / prevents accidental lockout
ErgoDesign®	Suits left or right hand door applications / improves grip and feel of handle / favoured through rigorous consumer testing
MultiFix®	Adds security through adjustable concealed strike with stainless steel receiver plate and multiple fixing points / suits new and retrofit applications
MultiFunction®	Provides non key locking, key locking and dummy



Technical Specifications	Functions	Finish	Warranty
Available in detachable or non-detachable models	Restricts window opening to 150mm	SSS	10 year mechanical and finish



General hardware

DOOR STOPS



Model	Description	Finishes	Size
434	Door Stop	PB, SCP, SNP, SSS	78mm Projection
438	Door Stop	SSS	85mm Projection
440	Door Stop	SNP	85mm Projection
450	Wall Mounted Square Post Door stop	SCP	110mm Projection
460	Wall Mounted Round Post Door stop	SCP	110mm Projection
435HO	Magnetic Hold Open Door Stop	SCP, SNP, SSS	78mm Projection
12841	Hat and Coat Hook	CP, SCP	85mm Projection
13001	Wall Mounted Door Stop	SSS	75mm Projection; 50mm Diameter



Model	Description	Finishes	Size
12801	Floor Mounted Door Stop	ALUM	50mm Diameter
12802	Floor Mounted Door Stop	SSS	32mm Diameter
12805	Floor Mounted Square Door Stop	SSS	40mm square
12901	Floor Mounted Dome Door Stop	SCP	46mm Diameter



Model	Description	Finishes	Size
13222-02	Broad Butt Ball Bearing Hinge	SSS	100mm x 75mm
13222-04	Broad Butt Ball Bearing Hinge	SSS	100mm x 100mm
13225	Fast Fix Ball Bearing Hinge	SSS	100mm x 68mm
13227	Rising Butt Hinge	SSS	102mm x 76mm
401	Double Acting Spring Hinge	CP, FB	100mm or 150mm
229	Self Closing Cabinet Hinge	AB, BB, BBRZ	38mm x 34mm
409	Flush Overlay Hinge	FB	
416	Flush Fixed Pin	SA	100mm x 50mm
603	Steel Butterfly Hinge	FB	36mm x 44mm

SLIDING CAVITY DOOR SETS









(SCP)

Privacy Sliding Cavity Door Set

Cavity Door Flush Pull

Passage Sliding Cavity Door Set





46-100

46-101

Model	Description	Finishes
	Round passage sliding cavity door set	SCP
	Round privacy sliding cavity door set	SCP
	Square passage sliding cavity door set	SCP
	Square privacy sliding cavity door set	SCP
46-100	Passage Sliding Door Latch	SCP
46-101	Privacy Sliding Door Latch	SCP
46-201	Cavity Slider Privacy Latch	SCP, SNP
46-301	Cavity Slider Privacy Pull	SCP, SNP

GENERAL HARDWARE











F178

DV004

Magnetic Door Catch

Model	Description	Finishes
RRB-01	Reverse Barrel Bolt	PB, SCP
F178	Roller Catch	PB, SCP
DV004	Door Viewer	CP, SCP
	Magnetic Door Catch	CP

Briton

Door controls



200 Series Door Closer

Technical Specifications	Functions	Finish	Warranty	Accessories
- Universal application fits standard, top jamb and	Regular (REG)	SE	5 year mechanical	- Hold Open Arm (HO)
parallel arm installations				
- European style trim cover				
- Independent adjustable valves for Backcheck,				
Closing and Latching speeds				
Door Type				
- Interior, Timber or Metal				
Closer Strength				
- Size 3				








1130 Series Door Closer

Technical Specifications	Functions	Finish	Warranty	Accessories
- Universal application fits standard, top jamb and	1120	SE	10 year mechanical	-Hold Open Arm (HO)
parallel arm installations	Regular (REG)			- Track Arm (T)
- Independent adjustable valves for Backcheck,	Hold Open (HO)			- Parallel Arm Bracket (PA)
Closing and Latching speeds	Track Function			- Adaptor Plate (DP)
-Non-handed	1130			- Parallel Arm Drop Plate
Door Type	Regular (REG)			(DPPA)
- Interior and Exterior, Timber or Metal	Hold Open (HO)			
- Supplied with Trim Plate, SSS Cover available	Track Function			
1120 Closer Strength				
-1120B 2-4 Adjustable				
-1120H0 2-4 Adjustable				
-1120T 1-3 Adjustable				
1130 Closer Strength				
-1130BDA 2-5 Adjustable				
-1130BT 1-4 Adjustable				



Door Handing Guide



Hinge Handing Guide (Model 13227)


Right Hand Door		Left Hand Door		
Opening In	Opening Out	Opening In	Opening Out	
Outside	Outside	Outside	Outside	

Common Terms

Door Preparation - A term used for the cut-outs or holes made to the door for the particular lock being installed.

Backset - The distance from the edge of the door to the centre line of prep in door.

Door Thickness - The measurement from outside front through to outside back of door. All locks have a minimum / maximum door thickness which they will fit.



Building Partnership Programme

Built around the architectural hardware requirements for new homes (essentially the door furniture and locks), the Building Partnership Programme is a mutually beneficial arrangement between you, the hardware merchant and Allegion. It is also a response to the particular desire by building companies for quality, well designed products, robust warranties, simple but effective key control, and time-saving installation.

Services

Scheduling – A comprehensive door schedule specification service is provided. Door hardware schedules are available with no obligation.


Residential Construction Keying - RCK system, involves a single key, replicated to be used by tradesmen for all homes during the construction phase. Building companies will be supplied 25 keys free (additional keys by negotiation), which can be reused on future houses/apartments. Each building company receives a personalised RCK system, so no two building companies have the same keys. When the new homeowner takes over the house, they are presented with their own keys, which when used automatically resets the lock cylinder, making the RCK inoperable and providing the homeowner with their own unique combination.

Master Keying – Master Keying is a method of controlling access through a building. A key schedule is prepared from provided floor plans. Includes a key tracking system which locates keys and locks and keeps a secure procedure on what keying has been undertaken. Security is based on a system where one lock has its own key. This key will not operate any other locks in the system however where all locks are in the same system the locks can be operated by the one master key.

Keyed Alike – KA - More than one lock being operated by the same key.

Keyed To Differ – KD – One lock is opened with a single key

Lever Dimension Guide



Finish Abbreviations

АВ	Antique Brass
ALUM	Aluminium (US-689, SP28, MAL)
ВВ	Bright Brass
BBRZ	Blackened Bronze
Black	Black Powder Coated
СР	Chrome Plate (US-625)
FB	Florentine Bronze
NP	Nickel Plate
РВ	Polished Brass (US-605)
SA	Satin Aluminium
SCP	Satin Chrome Plate (US-626, US26D)
SE	Sprayed Silver
SNP	Satin Nickel Plate (US-619)
SP	Satin Pearl
SSS	Satin Stainless Steel (US-630, US32D)

Product Application Classification

Residential and Light Commercial - Moderate use. Typical applications include residential homes, apartments and low traffic offices.

Commercial - Moderate to high traffic flow. Typical applications include classrooms, storerooms, entrance / fire applications.

Heavy Commercial - Excessive high usage / high security subject to abuse. Typical applications include prisons, stairwell doors and air pressure differential.

Finish Glossary

These colours are indicative only, subject to limitations in the printing process.



About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in the field of safety and security. We keep people and their property safe, wherever they are, bringing together simple solutions and advanced technology. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.co.nz / www.allegion.com.au





For over 95 years Schlage has provided homeowners with innovative quality security products. Today, Schlage offers home security solutions from a wide selection of mechanical and electronic locks and accessories in touch with modern lifestyles.





Freephone 1800 098 094
Freefax 1800 098 095
Email auinfo@allegion.com

Allegion New Zealand

Freephone 0800 477 869
Freefax 0800 477 868
Email nzinfo@allegion.com



